



MESHLESS® TECHNOLOGY



The
**Pool Tile
Company...**

Your **Mosaic Tile** Specialist



The Pool Tile Company's **Meshless® technology** is a state of the art tile sheeting system that the swimming pool tile industry has needed for decades.



WHAT IS MESHLESS® TECHNOLOGY?

Each mosaic piece is joined to the next with polyurethane adhesive that will not re-emulsify in water.

This means that our Meshless® sheeting system will help to hold the tiles in place even if insufficient tile adhesive is under a tile.



GCR305 White Crystal Pearl Blend 20mm supplied on Meshless® system.

WHY USE MESHLESS® TECHNOLOGY?

Adherence:

The glue pattern and quantity of the glue in the sheeting system is designed to provide adequate open area of glass in line with AS 3958.1 2007 PART 1. This will ensure that the mosaics are able to be held in place by the tiler's adhesive and grout.




GC210 Peacock 20mm supplied on Meshless® system.

VIEW AUSTRALIA'S BEST RANGE OF POOL AND OUTDOOR TILES AT: www.pooltile.com.au

WHY USE MESHLESS® TECHNOLOGY?

No Residue

There is no residue from adhesive on the face of the tiles as there often is with paper faced mosaics once the paper has been removed.




CC184 Light Sky Blue Pearl Blend 20mm supplied on Meshless® system.

VIEW AUSTRALIA'S BEST RANGE OF POOL AND OUTDOOR TILES AT: www.pooltile.com.au

WHY USE MESHLESS® TECHNOLOGY?

100% Grout Area



CC450 Anglesea 20mm supplied on Meshless® system.

You will notice that minimal polyurethane adhesive protrudes into the grout joint. This means that our Meshless® system will not have problems with grout breaking down or falling out which can occur with the silicon dot system.

The grout joint is set at 2mm, which is the perfect size for pools as the joints remain wide enough when the sheets are laid into the floor to wall joint.


WHY USE MESHLESS® TECHNOLOGY?

No Installation Issues

The advantages of this Meshless® system is it substantially reduce installation issues and ensures that our mosaics are suitable for use in swimming pools, spas and other areas where mosaics are submerged in water.



GC240 Alpine 20mm supplied on Meshless® system.



GC240 Alpine 20mm used as a waterline and feature wall of this pool.

VIEW AUSTRALIA'S BEST RANGE OF POOL AND OUTDOOR TILES AT: www.pooltile.com.au

MESHLESS® TECHNOLOGY



SEE THE RANGE

Wide range of colours available

The Pool Tile Company offer a wide range of stunning colours and blends in glass mosaics to cater for everyone's tastes.

For further technical information about our Meshless® system please email info@pooltile.com.au



Brisbane HQ/Showroom:

7 Westringia Road, Brisbane Airport QLD 4008
P: (07) 3854 0462 | E: info@pooltile.com.au

Melbourne Showroom:

79 Bazalgette Cres, Dandenong South VIC 3175
P: 03 9798 2631 | E: melbourneshowroom@pooltile.com.au



www.pooltile.com.au

[f](https://www.facebook.com/thepooltilecompany) [in](https://www.linkedin.com/company/thepooltilecompany) [ig](https://www.instagram.com/thepooltilecompany) [thepooltilecompany](https://www.thepooltilecompany.com)

